

SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: IVORY FAST SET POLYUREA HYBRID POLY FORMULA
Product Code: U8782P, U8782-5, U8782P-55

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Product Use: Architectural Coating and Waterproofing

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: Gaco Western LLC
 1245 Chapman Dr.
 Waukesha, WI, 53186-5942
 USA
Telephone Number: 800-331-0196 / **International:** 001-800-331-0196
Email: sds@gaco.com
Website: www.gaco.com

1.4 EMERGENCY TELEPHONE NUMBER

For Chemical Emergency
 Spill, Leak, Fire, Exposure, or Incident
 Within USA and Canada: 1-800-424-9300
 Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL

Hazard class:

HAZARD CLASSIFICATION	CATEGORY
Eye Damage/Irritation	2A
Toxic to Reproduction	2
STOT RE - Specific Toxic Organ Toxicity (Repeated Exposure)	1

2.2 LABEL ELEMENTS

Hazard pictogram:

GHS07; GHS08



SAFETY DATA SHEET

Signal word: Danger

Hazard statement: Causes serious eye irritation
Suspected of damaging fertility or the unborn child
Causes damage to organs through prolonged or repeated exposure

Prevention: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.

Response: Specific treatment (see Section 8 on this label).
If exposed or concerned: Get medical advice/attention.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents and container in accordance with all local, regional, national and international regulations.

2.3 ADDITIONAL INFORMATION

Main symptoms: Prolonged exposure may cause chronic effects. Causes damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Hazards not otherwise specified: Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

12.1 % of the mixture consists of ingredient(s) of unknown acute toxicity

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Material	CAS No.	Weight %*
Titanium dioxide (dust)	13463-67-7	10-30%
2,2,4-Trimethyl-1,3-pentanediol	144-19-4	5-10%
Silicon dioxide	7631-86-9	1-5%
Diethylmethylbenzenediamine	68479-98-1	1-5%
Dimethyltin neodecanoate	68928-76-7	0.1-1.0

*The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: FIRST-AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURES

General information: Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves.

Inhalation: Move to fresh air. Call a physician if symptoms develop or persist.

SAFETY DATA SHEET

Skin contact:	Wash skin with plenty of soap and water. Get medical attention if irritation develops and persists.
Eye contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion:	Rinse mouth. Get medical attention if symptoms occur.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Prolonged exposure may cause chronic effects. Causes damage to organs through prolonged or repeated exposure.
Suspected of damaging fertility or the unborn child.
Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

Note to physicians:	Treat symptomatically. Symptoms may be delayed.
Specific treatments:	In case of accident or if you feel unwell, seek medical advice (show the label or SDS where possible).

SECTION 5: FIRE-FIGHTING MEASURES**5.1 EXTINGUISHING MEDIA**

General hazards:	No unusual fire or explosion hazard.
Suitable extinguishing media:	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂)
Unsuitable extinguishing media:	Do not use water jet as an extinguisher as this will spread the fire.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Specific hazards:	During fire, gases hazardous to health may be formed.
Products of combustion:	May include, and are not limited to: oxides of carbon.

5.3 Special protective equipment and precautions for fire-fighters (PPE)

Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire-fighting procedures:	Keep upwind of fire. Move containers from fire area if you can do it without risk.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

For personal protection, see Section 8 of this SDS.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for containment:	Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning-up:	Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. Following product recovery, flush area with water. For waste disposal, see Section 13 of the SDS.
Large spills:	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Prevent product

SAFETY DATA SHEET

Small spills:	from entering drains. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.
Environmental precautions:	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 7: HANDLING AND STORAGE**7.1 PRECAUTIONS FOR SAFE HANDLING**

Precautions for Safe handling:	Observe good industrial hygiene practices.
General hygiene advice:	Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Safe storage:	Store away from incompatible materials.
Specific use:	Architectural Coating and Waterproofing
Technical measures:	No specific recommendations.
Incompatible materials:	None known, avoid strong oxidizing agents.
Safe packaging material:	No specific recommendations.
Precautions:	Use personal protective recommended in Section 8 of the SDS.
Safe handling advice:	Observe good industrial hygiene practices.
Suitable storage conditions:	Store away from incompatible materials.
Handling-technical measures:	No specific recommendations.
Local and general ventilation:	Provide adequate ventilation.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 CONTROL PARAMETERS**

Control parameters:	Follow standard monitoring procedures.
----------------------------	--

Exposure limits:**Titanium dioxide (dust)**

NIOSH REL: Ca See Appendix A
OSHA PEL⁺: TWA 15 mg/m³

No significant exposure to primary particles of titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints.

Silicon dioxide (dust)

NIOSH REL: TWA 6 mg/m³
OSHA PEL⁺: TWA 20 mppcf (80 mg/m³/%SiO₂) See Appendix C (Mineral Dusts)

No significant exposure to primary particles of silicon dioxide is thought to occur during the use of products in which silicon dioxide is bound to other materials, such as in paints.

8.2 EXPOSURE CONTROLS**Engineering measures to reduce exposure:**

SAFETY DATA SHEET

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

8.3 INDIVIDUAL PROTECTIVE MEASURES

- General:** Use personal protective equipment as required.
- Eye protection:** Wear safety glasses with side shields (or goggles).
- Hand protection:** Wear appropriate chemical resistant gloves.
- Respiratory protection:** In case of insufficient ventilation, wear suitable respiratory equipment.
- Skin and body protection:** Wear suitable protective clothing.
- Hygiene measures:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
- Thermal hazards:** Wear appropriate thermal protective clothing, when necessary.
- Environmental exposure controls:** Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- Appearance:** Off-white Liquid
- Color:** Off-white
- Form:** Liquid
- Odor:** Mild
- Odor Threshold:** Not applicable
- Physical State:** Liquid
- pH (at 20°C):** Not applicable
- Melting Point/Freezing Point:** Not applicable
- Initial Boiling Point and Boiling Range:** Not applicable
- Flash Point:** >200°F(>93°C)
- Evaporation Rate:** Not applicable
- Flammability (solid, gaseous):** Not Flammable
- Lower Flammability/Explosive Limit:** Not applicable
- Upper Flammability/Explosive Limit:** Not applicable
- Vapor Pressure (mm Hg @38°C):** Not applicable
- Vapor Density:** Not applicable
- Density (lb/gal):** 11.7
- Relative Density/Specific Gravity:** 1.4
- Solubility in water/miscibility:** Not soluble in water
- Partition coefficient: n-octanol/water:** Not applicable
- Auto-ignition Temperature:** Not applicable
- Decomposition Temperature:** Not applicable
- Viscosity (at 20°C) g/L:** Not applicable
- Oxidizing Properties:** Not applicable
- Explosive Properties:** Not applicable
- VOC:** <10 g/L
- Solvent content - Organic:** Not applicable

SAFETY DATA SHEET

Solvent content - Water:	Not applicable
Solvent content - Solids:	Not applicable
Other information:	Not applicable
Incompatibilities:	None known, avoid strong oxidizing agents.

SECTION 10: STABILITY AND REACTIVITY

- 10.1 REACTIVITY** The product is stable and non-reactive under normal conditions of use, storage and transport.
- 10.2 CHEMICAL STABILITY**
- Chemical stability:** Material is stable under normal conditions.
- Materials to avoid:** The product is stable and non-reactive under normal conditions of use, storage and transport.
- 10.3 POSSIBILITY OF HAZARDOUS REACTIONS**
- Hazardous reactions:** No dangerous reaction known under conditions of normal use.
- 10.4 CONDITIONS TO AVOID** Contact with incompatible materials.
- 10.5 INCOMPATIBLE MATERIALS** None known, avoid strong oxidizing agents.
- 10.6 HAZARDOUS DECOMPOSITION PRODUCTS**
- Hazardous decomposition products:** No hazardous decomposition products are known.
- Hazardous polymerization:** Does not occur.
- Other information:** Not applicable.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 INFORMATION ON TOXICOLOGICAL EFFECTS**

- Acute toxicity:** Causes skin irritation. Causes serious eye irritation.
- Likely routes of exposure:** Skin contact. Eye contact. Inhalation.
- Eye:** Causes serious eye irritation.
- Skin:** No adverse effects due to skin contact are expected. Prolonged skin contact may cause dryness, redness, or cracking.
- Ingestion:** Not an expected route of exposure. Expected to be a low ingestion hazard.
- Inhalation:** Not an expected route of exposure. No adverse effects due to inhalation are expected.

LD50/LC50 values relevant to this classification:**Titanium dioxide (dust)**

- Oral mouse LD50 > 5000 mg/kg bw
- Oral rat LD50 > 5000 mg/kg bw
- Oral rat LD50 > 5000 mg/kg bw
- Oral rat LD50 > 2000 mg/kg bw
- Oral rat LD50 > 11000 mg/kg bw
- Oral rat LD50 > 5000 mg/kg bw
- Inhal rat LC50 3.43-5.09 mg/L air
- Inhal rat LC50 > 3.56 mg/L air
- Inhal rat LC50 > 2.28 mg/L air

SAFETY DATA SHEET

2,2,4-Trimethyl-1,3-pentanediol

Oral rat LD50 >2000 mg/kg bw
 Oral mouse LD50 1800 mg/kg bw
 Oral rat LD50 3200 mg/kg bw
 Oral mouse LD50 1600-3200 mg/kg bw
 Oral rat LD50 800-1600 mg/kg bw
 Inhal rat LC50 > 4.5 mg/L air 6hr
 Derm guinea pig LD50 >1000 mg/kg bw no deaths
 Derm guinea pig LD50 >5000 mg/kg bw no deaths
 Derm guinea pig LD50 >8000 mg/kg bw no deaths

Dimethyltin neodecanoate

Oral rat LD50 894 mg/kg bw
 Derm rat LD50 >2000 mg/kg bw

Calculated overall chemical acute toxicity values for this formulation:

Calculated overall Chemical Acute Toxicity Values		
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
>5 mg/kg (dust and mist)	>2000 mg/kg	>2000 mg/kg

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin corrosion/irritation: Based on available data, this product is not expected to cause skin corrosion or irritation. Prolonged skin contact may cause dryness, redness, or cracking.

Serious eye damage/irritation: Causes serious eye irritation.

Respiratory sensitization: Based on available data, this product is not expected to cause respiratory sensitization.

Skin sensitization: Based on available data, this product is not expected to cause skin sensitization.

Symptoms and target organs: Prolonged exposure may cause chronic effects. Causes damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child.. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Chronic health effects: Prolonged exposure may cause chronic effects. Causes damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child.

Carcinogenicity: This product is not classified as a carcinogen. Due to the form of the product, exposure to the potentially carcinogenic components is not expected.

Material	OSHA(O)	ACGIH(G)	NTP(N)	IARC(I)
Titanium dioxide (dust)	Not listed	A4	Not listed	2B

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) =Occupational Safety and Health Administration
 Ca/Yes = Expected to be carcinogenic
 not listed = Not expected to be carcinogenic

NTP (N) =National Toxicology Program
 K =Known to be a carcinogen
 R = Reasonably anticipated to be a carcinogen
 not listed = Not expected to be carcinogenic

ACGIH (G) =American Conference of Governmental Industrial Hygienists
 A1 =Confirmed human carcinogen
 A2 =Suspected human carcinogen
 A3 =Animal carcinogen
 A4 =Not classifiable as a human carcinogen
 A5 =Not suspected as a human carcinogen
 not listed = Not expected to be carcinogenic

IARC (I) =International Agency for Research on Cancer
 1 =Carcinogenic to humans
 2A =Probably carcinogenic to humans
 2B =Possibly carcinogenic to humans
 3 =Not classifiable as to its carcinogenicity to humans
 4 =Probably not carcinogenic to humans
 not listed = Not expected to be carcinogenic

Mutagenicity: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (STOT):
Single Exposure: Not classified as an STOT - Single Exposure.

SAFETY DATA SHEET

Repeated Exposure:	Prolonged exposure may cause chronic effects. Causes damage to organs through prolonged or repeated exposure.
Aspiration Toxicity:	Based on available data, this product is not expected to cause aspiration toxicity.
Other Information:	Not applicable.

SECTION 12: ECOLOGICAL INFORMATION**12.1 ECOTOXICITY**

Ecotoxicity:	Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Acute aquatic toxicity:	Toxic to aquatic life.
Chronic toxicity:	Toxic to aquatic life with long lasting effects.
Environmental effects:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

12.2 PERSISTENCE AND DEGRADABILITY

Persistence/biodegradability:	The product contains substances which are not expected to be readily biodegradable.
--------------------------------------	---

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation:	No data available.
-------------------------	--------------------

12.4 MOBILITY

Mobility:	No data available.
Mobility in soil:	No data available.
Mobility in non-soil:	No data available.

12.5 OTHER ADVERSE EFFECTS

Ozone layer:	No data available.
---------------------	--------------------

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 WASTE TREATMENT METHODS**

Disposal method:	This material must be disposed of in accordance with all local, state, provincial, and federal regulations.
Contaminated packaging:	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Dispose of contents and container in accordance with all local, regional, national and international regulations.
EU codes:	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Residual waste:	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Disposal instructions:	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents and container in accordance with all local, regional, national and international regulations.
Waste codes:	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Other disposal recommendations:	None

SECTION 14: TRANSPORT INFORMATION**DOT Non-Bulk**

Not hazardous for transport per 171.4(c)

SAFETY DATA SHEET

DOT Bulk

UN: UN3082
Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (diethylmethylbenzenediamine)
Hazard class: 9 **Packing group:** PG III
Marine pollutant: Yes

IMDG

UN: UN3082
Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (diethylmethylbenzenediamine)
Hazard class: 9 **Packing group:** PG III
Marine pollutant: Yes

ICAO/IATA

UN: UN3082
Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (diethylmethylbenzenediamine)
Hazard class: 9 **Packing group:** PG III
Marine pollutant: Yes

Reportable quantity: Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

US Federal Regulations:

U.S. OSHA (Occupational Safety and Health Administration) Specifically Regulated Substances (29 CFR 1910.1001-1050)

No components of this product are present at concentration greater than or equal to 0.1% and are identified as a carcinogen or potential carcinogen by OSHA.

SARA/CERCLA reporting requirements:

No components of this product are found at concentrations greater than or equal to 0.1% and are subject to the SARA/CERCLA reporting requirements.

State Right-to-Know Regulations

The following components of this product are found at concentrations greater than or equal to 0.1%, subject to state Right-to-Know reporting requirements; or are found at any concentration and are listed under California Proposition 65.

Material	California Proposition 65	Massachusetts Right-to-Know	Minnesota Employee Right-to-Know	New Jersey Community Environmental Hazard Right-to-Know	New Jersey Right-to-Know Substance	Pennsylvania Right-to-Know	Rhode Island Right-to-Know
Titanium dioxide (dust)	Not listed	Yes	Yes	Not listed	Yes	Yes	Not listed
Silicon dioxide (dust)	Not listed	Yes	Yes	Not listed	Not listed	Yes	Not listed
Zirconium dioxide (dust)	Not listed	Yes	Not listed	Not listed	Not listed	Not listed	Not listed
Nickel (trace)	Yes	Yes	Yes	Yes	Yes	Yes	Yes

SAFETY DATA SHEET

Cobalt (trace)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
----------------	-----	-----	-----	-----	-----	-----	-----

Global Inventories:

Notification status:	
US - TSCA	All substances are listed
Canada -DSL	All substances are listed
Canada - NDSL	No substances are listed
EU - EINECS	Not all substances are listed
EU - ELINCS	At least 1 substances is listed
EU - NLP	At least 1 substances is listed
Australia – AICS	Not all substances are listed
China - EICSC	Not all substances are listed
Japan - ENCS	All substances are listed
Korea - KECI	Not all substances are listed
Taiwan - NECI	All substances are listed
New Zealand - NZIoC	Not all substances are listed
Philippine - PICCS	Not all substances are listed

EU - REACH Status:

A registration number is not available for substances in this mixture as the substances are exempted from registration, the annual tonnage does not require a registration or the registration is envisioned for a later registration deadline.

CANADA – WHMIS (Workplace Hazardous Materials Information System) Classification:

D2A, D2B



MEXICO:

Hazard Classification: 2-1-0
Carcinogen Status: No data available.

SECTION 16: OTHER INFORMATION

HMIS (Hazardous Materials Identification System) rating:

Health:	2*
Flammability:	1
Physical:	0

NFPA 704 (National Fire Protection Association) rating:

Health	2
Fire	1
Reactivity	0

SAFETY DATA SHEET**Legend:**

DOT	US Department of Transportation
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
ACGIH	American Conference of Governmental Industrial Hygienists
NTP	National Toxicology Program
IARC	International Agency for Research on Cancer
PPE	Personal Protective Equipment
RCRA	Resource Conservation and Recovery Act
CAA	Clean Air Act
SARA	Superfund Amendments and Reauthorization Act
EPCRA	Emergency Planning and Community Right-to-Know Act
WHMIS	Workplace Hazardous Materials Information System
EU	European Union
REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
TSCA	US Toxic Substances Control Act (TSCA)
DSL	Canada Domestic Substance List (DSL)
NDSL	Canada Non-Domestic Substance List (NDSL)
EINECS	European Inventory of Existing Commercial Chemical Substances (EINECS)
ELINCS	European List of Notified Chemical Substances (ELINCS)
NLP	European list of No-longer Polymers (NLP)
AICS	Australian Inventory of Chemical Substances (AICS)
EICSC	China Existing Chemical Inventory - IECSC
ENCS	Japanese Existing and New Chemical Substances Inventory(ENCS)
KECI	Korea Existing Chemicals Inventory(KECI)
NECI	Taiwan National Existing Chemical Inventory (NECI)
NZIoC	New Zealand Inventory of Chemicals (NZIoC)
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
HMIS	Hazardous Materials Identification System
NFPA	National Fire Protection Association (NFPA)

Date of preparation:

July 14, 2015

Version:

1.0

Revision Date:

July 14, 2015

Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by:

Gaco Western LLC

End of Safety Data Sheet