

**SAFETY DATA SHEET**

**SECTION 1: IDENTIFICATION**

**1.1 PRODUCT IDENTIFIER**

**Product Name:** PEWTER ACRYLIC COATING (VOC Compliant)  
**Product Code:** A3802, A3802-1, A3802-5, A3802-Q

**1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE**

**Product Use:** Architectural Coating and Waterproofing  
 Use this product in accordance with all local, regional, national and international regulations.

**1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

**Name/Address:** Firestone Building Products  
 200 4th Avenue South  
 Nashville, TN 37201  
 Gaco is a Firestone Building Products brand

**Telephone Number:** 800-331-0196 / **International:** 001-800-331-0196

**Email:** [sds@gaco.com](mailto:sds@gaco.com)

**Website:** [www.gaco.com](http://www.gaco.com)

**1.4 EMERGENCY TELEPHONE NUMBER**

For Chemical Emergency  
 Spill, Leak, Fire, Exposure, or Incident  
 Within USA and Canada: 1-800-424-9300  
 Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

**SECTION 2: HAZARD(S) IDENTIFICATION**

**2.1 CLASSIFICATION OF THE CHEMICAL**

**Hazard class:**

HAZARD CLASSIFICATION	CATEGORY
Not Classified  This mixture does not meet the criteria for classification to OSHA Hazard Communication Standard 2012 1900.1200 (HCS 2012).	

**2.2 LABEL ELEMENTS**

**Hazard pictogram:** None

**Signal word:** None

**Hazard statement:** This mixture does not meet the criteria for classification to OSHA Hazard Communication Standard 2012 1900.1200 (HCS 2012).

**Prevention:** Observe good industrial hygiene practices.

**Response:** Wash hands thoroughly after handling.

**Storage:** Store in a well-ventilated place. Keep container tightly closed.

**Disposal:** Dispose of contents and container in accordance with all local, regional, national and international regulations.

**2.3 ADDITIONAL INFORMATION**

## SAFETY DATA SHEET

**Main symptoms:** Direct contact with eyes may cause temporary irritation.  
**Hazards not otherwise specified:** Toxic to aquatic life  
 Harmful to aquatic life with long lasting effects

42% of the mixture consists of ingredient(s) of unknown acute toxicity

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 MIXTURES

**Comments:** This mixture does not meet the criteria for classification according to OSHA Hazard Communication Standard 2012 (HCS 2012) 1900.1200.

Material	CAS No.	Weight %*
Titanium dioxide (dust)	13463-67-7	7-13%
Iron Oxide (black)	1317-61-9	1-5%
Silicon dioxide (dust)	7631-86-9	1-5%
Calcined kaolin	91704-41-1	1-5%
pyrithione zinc	13463-41-7	0.1-0.25%
Triphenyl phosphate	115-86-6	0.1-1.0%
Ammonium hydroxide	1336-21-6	0.1-1.0%
Zinc oxide (dust)	1314-13-2	0.1-1.0%

\*The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

### SECTION 4: FIRST-AID MEASURES

#### 4.1 DESCRIPTION OF THE FIRST AID MEASURES

**General information:** Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves.

**Inhalation:** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact:** Wash skin with plenty of soap and water. Get medical attention if irritation develops and persists.

**Eye contact:** Rinse eyes with water. Get medical attention if irritation develops and persists.

**Ingestion:** Rinse mouth. Get medical attention if symptoms occur.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Direct contact with eyes or skin may cause temporary irritation.

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

**Note to physicians:** Treat symptomatically.

**Specific treatments:** In case of accident or if you feel unwell, seek medical advice (show the label or SDS where possible).

### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

**General hazards:** No unusual fire or explosion hazard.

**Suitable extinguishing media:** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2)

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher as this will spread the fire.

**5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE**

**Specific hazards:** During fire, gases hazardous to health may be formed.  
**Products of combustion:** May include, and are not limited to: oxides of carbon.

**5.3 Special protective equipment and precautions for fire-fighters (PPE)**

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.  
**Special fire-fighting procedures:** Keep upwind of fire. Move containers from fire area if you can do it without risk.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

For personal protection, see Section 8 of this SDS.

**6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP**

**Methods for containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).  
**Methods for cleaning-up:** Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. Following product recovery, flush area with water. For waste disposal, see Section 13 of the SDS.  
     **Large spills:** Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.  
     **Small spills:** Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  
     Never return spills to original containers for re-use.  
**Environmental precautions:** Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases

**SECTION 7: HANDLING AND STORAGE**

**7.1 PRECAUTIONS FOR SAFE HANDLING**

**Precautions for Safe handling:** Observe good industrial hygiene practices.  
**General hygiene advice:** Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves.

**7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

**Safe storage:** Store away from incompatible materials.  
**Specific use:** Architectural Coating and Waterproofing  
**Technical measures:** No specific recommendations.  
**Incompatible materials:** None known, avoid strong oxidizing agents.  
**Safe packaging material:** No specific recommendations.  
**Precautions:** Use personal protective recommended in Section 8 of the SDS.  
**Safe handling advice:** Observe good industrial hygiene practices.  
**Suitable storage conditions:** Store away from incompatible materials.  
**Handling-technical measures:** No specific recommendations.  
**Local and general ventilation:** Provide adequate ventilation.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 CONTROL PARAMETERS**

**Control parameters:** Follow standard monitoring procedures.

**Exposure limits:****Titanium dioxide (dust)**

NIOSH REL: Ca See Appendix A

OSHA PEL†: TWA 15 mg/m<sup>3</sup>

No significant exposure to primary particles of titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints.

**Iron Oxide (black)**

OSHA:

PEL: TWA 10 mg/m<sup>3</sup>

NIOSH:

REL: TWA 5 mg/m<sup>3</sup>

Prolonged inhalation (6-10 years) of Iron oxide has been reported to produce changes in lung x-rays of exposed individuals. This condition, siderosis, is considered to be a benign pneumoconiosis that exhibits no adverse health effects. Siderosis has been observed among occupants such as arc-welders where iron oxide fumes are present. To the best of our knowledge, this condition has not been observed after prolonged exposure to iron oxide pigments.

**Silicon dioxide (dust)**

OSHA:

PEL†: TWA 20 mppcf (80 mg/m<sup>3</sup>/%SiO<sub>2</sub>) See Appendix C (Mineral Dusts)

NIOSH:

REL: TWA 6 mg/m<sup>3</sup>

No significant exposure to primary particles of silicon dioxide is thought to occur during the use of products in which silicon dioxide is bound to other materials, such as in paints.

**Calcined kaolin**

OSHA: ACGIH TLV A4 2 mg/m<sup>3</sup> (dust)

OSHA PEL 15 mg/m<sup>3</sup> (total dust)

OSHA PEL 5 mg.m<sup>3</sup> (resp dust)

NIOSH REL 10 mg.m<sup>3</sup> (total dust)

NIOSH REL 5 mg/lm<sup>3</sup> (resp dust)

**8.2 EXPOSURE CONTROLS****Engineering measures to reduce exposure:**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**8.3 INDIVIDUAL PROTECTIVE MEASURES**

**General:** Use personal protective equipment as required.

**Eye protection:** If contact is likely, safety glasses with side shields are recommended.

## SAFETY DATA SHEET

<b>Hand protection:</b>	For prolonged or repeated skin contact, use suitable protective gloves.
<b>Respiratory protection:</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Skin and body protection:</b>	Wear suitable protective clothing.
<b>Hygiene measures:</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
<b>Thermal hazards:</b>	Wear appropriate thermal protective clothing, when necessary.
<b>Environmental exposure controls:</b>	Inform appropriate managerial or supervisory personnel of all environmental releases.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Viscous gray liquid
<b>Color:</b>	PEWTER
<b>Form:</b>	Liquid
<b>Odor:</b>	Not available
<b>Odor Threshold:</b>	Not available
<b>Physical State:</b>	Liquid
<b>pH (at 20°C):</b>	9.1
<b>Melting Point/Freezing Point:</b>	Not available
<b>Initial Boiling Point and Boiling Range:</b>	Not available
<b>Flash Point:</b>	>200°F/>93°C
<b>Evaporation Rate:</b>	Not available
<b>Flammability (solid, gaseous):</b>	Not Flammable
<b>Lower Flammability/Explosive Limit:</b>	Not available
<b>Upper Flammability/Explosive Limit:</b>	Not available
<b>Vapor Pressure (mm Hg @38°C):</b>	Not available
<b>Vapor Density:</b>	Not available
<b>Density (lb/gal):</b>	9.7
<b>Relative Density/Specific Gravity:</b>	1.2
<b>Solubility in water/miscibility:</b>	Soluble in water
<b>Partition coefficient: n-octanol/water:</b>	Not available
<b>Auto-ignition Temperature:</b>	Not available
<b>Decomposition Temperature:</b>	Not available
<b>Viscosity (at 20°C) g/L:</b>	100 ku
<b>Oxidizing Properties:</b>	Not available
<b>Explosive Properties:</b>	Not available
<b>VOC:</b>	<50 g/L (<0.417 lb/gal)
<b>Solvent content - Organic:</b>	0%
<b>Solvent content - Water:</b>	51%
<b>Solvent content - Solids:</b>	49%
<b>Other information:</b>	Not available
<b>Incompatibilities:</b>	None known, avoid strong oxidizing agents.

### SECTION 10: STABILITY AND REACTIVITY

**10.1 REACTIVITY** The product is stable and non-reactive under normal conditions of use, storage and transport.

#### 10.2 CHEMICAL STABILITY

**SAFETY DATA SHEET**

**Chemical stability:** Material is stable under normal conditions.  
**Materials to avoid:** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

**Hazardous reactions:** No dangerous reaction known under conditions of normal use.

**10.4 CONDITIONS TO AVOID**

Contact with incompatible materials.

**10.5 INCOMPATIBLE MATERIALS**

None known, avoid strong oxidizing agents.

**10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

**Hazardous decomposition products:** No hazardous decomposition products are known.

**Hazardous polymerization:** Does not occur.

**Other information:** Not applicable.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 INFORMATION ON TOXICOLOGICAL EFFECTS**

**Acute toxicity:** Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

**Likely routes of exposure:** Skin contact. Eye contact. Inhalation.

**Eye:** Direct contact with eyes may cause temporary irritation.

**Skin:** No adverse effects due to skin contact are expected. Prolonged skin contact may cause dryness, redness, or cracking.

**Ingestion:** Not an expected route of exposure. Expected to be a low ingestion hazard.

**Inhalation:** Not an expected route of exposure. No adverse effects due to inhalation are expected.

**LD50/LC50 values relevant to this classification:**

**Titanium dioxide (dust)**

- Oral mouse LD50 > 5000 mg/kg bw
- Oral rat LD50 > 5000 mg/kg bw
- Oral rat LD50 > 2000 mg/kg bw
- Oral rat LD50 > 11000 mg/kg bw
- Inhal rat LC50 3.43-5.09 mg/L air
- Inhal rat LC50 > 3.56 mg/L air
- Inhal rat LC50 > 2.28 mg/L air

**Iron Oxide (black)**

- Oral rat LD50 > 5000 mg/kg bw
- Oral rat LD50 > 10000 mg/kg bw

**Silicon dioxide (dust)**

- Oral rat LD50 > 5000 mg/kg bw
- Oral rat LD50 > 10,000 mg/kg bw
- Oral rat LD50 > 5620 mg/kg bw
- Oral mouse LD50 > 3160 mg/kg bw
- Oral rat LD50 mg/kg bw
- Oral rat LD0 > 20000 mg/kg bw
- Oral rat LD50 > 3300 mg/kg bw
- Oral rat LD0 10,000 mg/kg bw

## SAFETY DATA SHEET

Inhal rat LCO > 0.69 mg/L air no deaths  
 Inhal rat LCO > 0.14mg/L air no deaths  
 Inhal rat LCO > 58.8 mg/L air no deaths  
 Derm rabbit LD50 > 2000 mg/kg bw  
 Derm rabbit LD50 > 5000 mg/kg bw

Calculated overall chemical acute toxicity values for this formulation:

Calculated overall Chemical Acute Toxicity Values		
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
>5 mg/kg (dust and mist)	>2000 mg/kg	>2000 mg/kg

### 11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

**Skin corrosion/irritation:** Based on available data, this product is not expected to cause skin corrosion or irritation. Prolonged skin contact may cause dryness, redness, or cracking.

**Serious eye damage/irritation:** Based on available data, this product is not expected to cause serious eye damage or irritation. Direct contact with eyes may cause temporary irritation.

**Respiratory sensitization:** Based on available data, this product is not expected to cause respiratory sensitization.

**Skin sensitization:** Based on available data, this product is not expected to cause skin sensitization.

**Symptoms and target organs:** Direct contact with eyes may cause temporary irritation.

**Chronic health effects:** No chronic health effects known.

**Carcinogenicity:** This product is not classified as a carcinogen. Due to the form of the product, exposure to the potentially carcinogenic components is not expected.

Material	OSHA(O)	ACGIH(G)	NTP(N)	IARC(I)
Titanium dioxide (dust)	Not listed	A4	Not listed	2B

**SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:**

**OSHA (O)** =Occupational Safety and Health Administration  
 Ca/Yes = Expected to be carcinogenic  
 not listed = Not expected to be carcinogenic

**ACGIH (G)** =American Conference of Governmental Industrial Hygienists  
 A1 =Confirmed human carcinogen  
 A2 =Suspected human carcinogen  
 A3 =Animal carcinogen  
 A4 =Not classifiable as a human carcinogen  
 A5 =Not suspected as a human carcinogen  
 not listed = Not expected to be carcinogenic

**NTP (N)** =National Toxicology Program  
 K =Known to be a carcinogen  
 R = Reasonably anticipated to be a carcinogen  
 not listed = Not expected to be carcinogenic

**IARC (I)** =International Agency for Research on Cancer  
 1 =Carcinogenic to humans  
 2A =Probably carcinogenic to humans  
 2B =Possibly carcinogenic to humans  
 3 =Not classifiable as to its carcinogenicity to humans  
 4 =Probably not carcinogenic to humans  
 not listed = Not expected to be carcinogenic

**Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Reproductive Toxicity:** This product is not expected to cause reproductive or developmental effects.

**Specific Target Organ Toxicity (STOT):**

**Single Exposure:** Not classified as an STOT - Single Exposure.

**Repeated Exposure:** Not classified as an STOT - Repeated Exposure.

**Aspiration Toxicity:** Based on available data, this product is not expected to cause aspiration toxicity.

**Other Information:** Not applicable.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 ECOTOXICITY

**Ecotoxicity:** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

**Acute aquatic toxicity:** Toxic to aquatic life.

**Chronic toxicity:** Harmful to aquatic life with long lasting effects.

**Environmental effects:** An environmental hazard cannot be excluded in the event of unprofessional

**SAFETY DATA SHEET**

handling or disposal.

**12.2 PERSISTENCE AND DEGRADABILITY**

**Persistence/biodegradability:** The product contains substances which are not expected to be readily biodegradable.

**12.3 BIOACCUMULATIVE POTENTIAL**

**Bioaccumulation:** No data available.

**12.4 MOBILITY**

**Mobility:** No data available.

**Mobility in soil:** No data available.

**Mobility in non-soil:** No data available.

**12.5 OTHER ADVERSE EFFECTS**

**Ozone layer:** No data available.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 WASTE TREATMENT METHODS**

**Disposal method:** This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

**Contaminated packaging:** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Dispose of contents and container in accordance with all local, regional, national and international regulations.

**EU codes:** The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Residual waste:** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Disposal instructions:** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Waste codes:** The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Other disposal recommendations:** None

**SECTION 14: TRANSPORT INFORMATION**

**DOT Non-Bulk**

Not classified as Dangerous Goods for Transport

**DOT Bulk**

Not classified as Dangerous Goods for Transport

**IMDG**

Not classified as Dangerous Goods for Transport

**ICAO/IATA**

Not classified as Dangerous Goods for Transport

**Reportable quantity:** Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service



## SAFETY DATA SHEET

representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

### SECTION 15: REGULATORY INFORMATION

#### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

##### US Federal Regulations:

##### U.S. OSHA (Occupational Safety and Health Administration) Specifically Regulated Substances (29 CFR 1910.1001-1050)

No components of this product are present at concentration greater than or equal to 0.1% and are identified as a carcinogen or potential carcinogen by OSHA.

##### SARA/CERCLA reporting requirements:

The following components of this product are found at concentrations greater than or equal to 0.1% and are subject to SARA/CERCLA reporting requirements.

Material	SARA 302 (EHSs) TPQ	SARA 304 EHSs RQ	CERCLA RQ	SARA 313 listed	RCRA CODE	CAA 112(r) TQ
Ammonium hydroxide	Not listed	Not listed	1,000	313	Not listed	Not listed

##### State Right-to-Know Regulations

The following components of this product are found at concentrations greater than or equal to 0.1%, subject to state Right-to-Know reporting requirements; or are found at any concentration and are listed under California Proposition 65.

Material	California Proposition 65	Massachusetts Right-to-Know	Minnesota Employee Right-to-Know	New Jersey Community Environmental Hazard Right-to-Know	New Jersey Right-to-Know Substance	Pennsylvania Right-to-Know	Rhode Island Right-to-Know
Titanium dioxide (dust)	Not listed	Listed	Listed	Not listed	Listed	Listed	Not listed
Silicon dioxide (dust)	Not listed	Listed	Listed	Not listed	Not listed	Listed	Not listed
Zirconium dioxide	Not listed	Listed	Not listed	Not listed	Not listed	Not listed	Not listed
Triphenyl phosphate	Not listed	Listed	Listed	Not listed	Listed	Not listed	Not listed
Ammonium hydroxide	Not listed	Listed	Listed	Not listed	Listed	Listed	Listed
Zinc oxide (dust)	Not listed	Listed	Listed	Not listed	Listed	Not listed	Not listed
Ethylene Glycol	Dev	Listed	Listed	Not listed	Listed	Listed	Listed
1,4- Dioxane (trace)	Cancer	Listed	Listed	Listed	Listed	Listed	Listed
Ethylene Oxide (trace)	Cancer	Listed	Listed	Not listed	Not listed	Listed	Listed

##### California:

##### Proposition 65:



**WARNING:** This product can expose you to 1,4- Dioxane and Ethylene Oxide, which are known to the State of California to cause cancer, and Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

##### Global Inventories:

Notification status:	
US - TSCA	All substances are listed
Canada -DSL	All substances are listed
Canada - NDSL	No substances are listed

## SAFETY DATA SHEET

EU - EINECS	Not all substances are listed
EU - ELINCS	No substances are listed
EU - NLP	No substances are listed
Australia – AICS	All substances are listed
China - EICSC	All substances are listed
Japan - ENCS	All substances are listed
Korea - KECI	All substances are listed
Taiwan - NECI	All substances are listed
New Zealand - NZLoC	All substances are listed
Philippine - PICCS	All substances are listed

**EU - REACH Status:**

A registration number is not available for substances in this mixture as the substances are exempted from registration or the annual tonnage does not require a registration.

HAZARD CLASSIFICATION	CATEGORY
Aquatic Acute	2
Aquatic Chronic	3

**CANADA – WHMIS (Workplace Hazardous Materials Information System) Classification (GHS):**

HAZARD CLASSIFICATION	CATEGORY
Aquatic Acute	2
Aquatic Chronic	3

**MEXICO (GHS):**

HAZARD CLASSIFICATION	CATEGORY
Aquatic Acute	2
Aquatic Chronic	3

**Carcinogen Status:** No data available.

**SECTION 16: OTHER INFORMATION**

**HMIS (Hazardous Materials Identification System) rating:**

<b>Health:</b>	<b>1</b>
<b>Flammability:</b>	<b>0</b>
<b>Physical:</b>	<b>0</b>

**NFPA 704 (National Fire Protection Association) rating:**

<b>Health</b>	<b>1</b>
<b>Fire</b>	<b>0</b>
<b>Reactivity</b>	<b>0</b>

**Legend:**

- DOT                      US Department of Transportation
- IATA                    International Air Transport Association
- ICAO                    International Civil Aviation Organization
- IMDG                    International Maritime Dangerous Goods

# SAFETY DATA SHEET

ACGIH	American Conference of Governmental Industrial Hygienists
NTP	National Toxicology Program
IARC	International Agency for Research on Cancer
PPE	Personal Protective Equipment
RCRA	Resource Conservation and Recovery Act
CAA	Clean Air Act
SARA	Superfund Amendments and Reauthorization Act
EPCRA	Emergency Planning and Community Right-to-Know Act
WHMIS	Workplace Hazardous Materials Information System
EU	European Union
REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
TSCA	US Toxic Substances Control Act (TSCA)
DSL	Canada Domestic Substance List (DSL)
NDSL	Canada Non-Domestic Substance List (NDSL)
EINECS	European Inventory of Existing Commercial Chemical Substances (EINECS)
ELINCS	European List of Notified Chemical Substances (ELINCS)
NLP	European list of No-longer Polymers (NLP)
AICS	Australian Inventory of Chemical Substances (AICS)
EICSC	China Existing Chemical Inventory - IECSC
ENCS	Japanese Existing and New Chemical Substances Inventory(ENCS)
KECI	Korea Existing Chemicals Inventory(KECI)
NECI	Taiwan National Existing Chemical Inventory (NECI)
NZIoC	New Zealand Inventory of Chemicals (NZIoC)
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
HMIS	Hazardous Materials Identification System
NFPA	National Fire Protection Association (NFPA)

**Date of preparation:** June 1, 2018

**Version:** 1.0

**Revision Date:** June 1, 2018

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**Prepared by:** Firestone Building Products  
 200 4th Avenue South  
 Nashville, TN 37201  
 Gaco is a Firestone Building Products brand

**End of Safety Data Sheet**